

GROUP
4,14

AgraCity

PERFORMANCE
100%
GUARANTEE

REVENGE™ PRO

WHY USE REVENGE PRO?

- Same active as Aim® + 2,4-D
- Proven pre-seed control of Kochia, Lamb's-quarters, Redroot pigweed, and Stinkweed
- Controls group 2 resistant cleavers and kochia
- Controls a wide spectrum of annual broadleaf weeds when mixed with glyphosate
- Alternative group 14 mode of action for resistance management
- 3 modes of action when mixed with glyphosate
- Use in all soil zones
- No re-cropping restrictions
- Great pre-seed product prior to AgraCity cereal products
- Proven broad-spectrum control of broadleaf weeds prior to cereal crops at the best price

USE ON

- Spring wheat, durum wheat, winter wheat, barley, rye, chemfallow

WEEDS CONTROLLED

When mixed with glyphosate acid equivalent at 0.5-0.77 L/acre (360 gm a.e./L)

- | | | |
|-----------------------------------|------------------------------------|-----------------------------------|
| • Annual blue grass ⁴ | • Giant foxtail | • Russian thistle ⁵ |
| • Annual sow thistle ⁴ | • Green foxtail | • Shepherd's purse ⁶ |
| • Canada fleabane | • Hemp-nettle | • Stinkweed |
| • Canada thistle ⁴ | • Kochia | • Volunteer barley |
| • Cleavers | • Lady's thumb | • Volunteer Canola (all HT types) |
| • Cocklebur | • Lamb's-quarters ⁵ | • Volunteer flax |
| • Common ragweed | • Morning glory ⁵ | • Volunteer wheat |
| • Crabgrass ⁴ | • Narrow-leaved | • Wild buckwheat |
| • Dandelion ^{1,4} | • hawk's-beard ^{1,4} | • Wild mustard |
| • Downy brome | • Narrow-leaved vetch ⁴ | • Wild oats |
| • Eastern black nightshade | • Persian darnel | |
| • Flixweed | • Prickly lettuce ^(4,5) | |
| • Foxtail barley ⁴ | • Redroot pigweed ⁵ | |

¹ Seedling and over-wintered rosettes only

² Including group 2 resistant biotypes

³ Including group 2, 4, and 9 resistant biotypes

⁴ With the addition of extra glyphosate; refer to label to rates

⁵ Controlled with multiple modes of action when mixed with glyphosate

⁶ Spring seedlings



SAME ACTIVE AS AIM® + 2,4-D Carfentrazone + 2,4-D Ester Herbicide

REQUIRED SURFACTANT

- None required when mixed with glyphosate

ACTIVE INGREDIENT

- Carfentrazone 240 g/L emulsifiable concentrate (EC)
- 2,4-D Ester 660 g/L EC

PACKAGE SIZE

- **Case:** 80 acres

WHEN TO APPLY

- Prior to seeding

WATER VOLUME

- 10 US gallons/acre (40 L/acre)

RAINFAST PERIOD

- 2 hours

RE-CROPPING OPTIONS

- Grow all major crops the year after application

SUPPORTED TANK MIXES*

- **Disruptor® 360 and 540 glyphosate**

STORAGE

- Store in a cool dry place away from heat

GRAZING AND HARVEST

- Do not allow lactating dairy animals to graze within 7 days of application
- Withdraw meat animals from treated fields 3 days before slaughter
- Harvest mature crop 30 days after application

MIXING INSTRUCTIONS

1. Fill the sprayer 1/2 full of clean water, begin agitation and continue throughout mixing and application process.
2. If required add the correct amount of any dry or solution concentrate products
3. Add the required amount of **Revenge**.
4. Add the required amount of **Disruptor** glyphosate.
5. Add the required amount of **MPower® 2,4-D Ester**.
6. Add surfactant if required, then complete filling tank and apply.
7. If application is stopped prior to completion, re-suspend spray solution by full agitation prior to commencing spraying again.

UNDERSTANDING PERFORMANCE

- Optimal control occurs when applied between 12° and 24° C in good growing conditions when weeds are small and actively growing. Under warm moist conditions herbicide symptoms may be accelerated.
- Good coverage of weeds is essential; due to rapid absorption by leaves, translocation is very limited.
- Weeds that are not emerged will not be controlled.
- **Revenge Pro** is primarily absorbed by the leaves of plants. Typical symptoms (rapid browning, necrosis) occurs rapidly within hours after application with control several days or longer depending on conditions.
- Extreme weather conditions such as temperature, moisture, soil conditions and cultural practices may affect activity. Under drought conditions control may be reduced as weeds hardened off by drought are less susceptible.
- Do not apply **Revenge Pro** more than once per growing season.

Always read and observe all label directions including rates, restrictions, and grazing and harvest limitations.

*Supported by AgraCity under PMRA tank mix guidelines. When applying tank mix combinations, read and observe all label directions for each product used in the tank mix, and follow the more stringent label precautionary measures for mixing, loading and applying stated on both product labels.