

GROUP
3,11

REVENUE[®] Q FUNGICIDE

SAME ACTIVE AS QUADRIS TOP[®]
Difenoconazole + Azoxystrobin Fungicide

TECHNICAL BULLETIN

FOR INFORMATION PURPOSES ONLY

It is anticipated the regulatory decision on REVENUE Q FUNGICIDE will be made by April 15, 2023.

This product is currently being assessed for registration under the Pest Control Products Act. It cannot be manufactured, imported, distributed, or used in Canada at this time, unless explicit authorization has been obtained from Health Canada to use this product for the purpose of conducting research under the Pest Control Products Regulations.

WHY USE REVENUE Q?

- Same actives as Quadris Top
- Two mode of action control of early blight
- Tank-mix flexibility
- Early application

FOR USE ON

- Potatoes



DISEASES CONTROLLED

CROP	DISEASE CONTROLLED
Potatoes	Early blight



REVENUE Q FUNGICIDE

SAME ACTIVES AS QUADRIS TOP

REQUIRED SURFACTANT

- None required

ACTIVE INGREDIENT

- Azoxystrobin 250 g/L suspension
- Difenconazole 250 g/L emulsifiable concentrate (EC)

PACKAGE SIZES:

- **Case:** 14.8 L azoxystrobin + 9.3 L difenoconazole

APPLICATION TIMING

- Potato
- Apply at first sign of disease or when conditions are conducive to disease development.

WATER VOLUME

- **Ground:** Minimum 16 US gallons/ac (60 L/ac)
- **Aerial:** Minimum 5 US gallons/ac (18.27 L/ac) – for potatoes only

RAINFAST PERIOD

- 1 hour

RE-CROPPING OPTIONS

- Grow all major crops the year after application.

TANK MIX OPTIONS*

- Revis[®], Bravo[®] 500, Bravo 720 or Bravo ZN, Allegro[®] 500F, Matador[®], Actara[®]

STORAGE

- Store in a cool dry place away from food and animal feed.

GRAZING AND HARVEST

- Do not apply within 14 days of harvest

MIXING INSTRUCTIONS

1. Add one-half of the required amount of water to the spray or mixing tank and start agitation.
2. Add the required amount **Quasi** to the water
3. Add the required quantity of **Revenue** to the water and complete filling with water to the required total volume.
4. Add the required amount of any Solution formulation partner if needed
5. Complete filling the tank with the balance of water and apply
6. Maintain agitation throughout mixing and spraying.
7. If application is stopped prior to completion, re-suspend spray solution by full agitation prior to commencing spraying again.

UNDERSTANDING PERFORMANCE

- Consult the product label for application rates and water volumes for all crops and diseases.
- Good coverage is essential for effective disease control.
- Use **Revenue Q** as part of an integrated disease management strategy. Rotate fungicide groups whenever possible.
- Do not apply **Revenue Q** more than twice per crop season.

Always read and follow all label precautions and directions.

*When applying tank mix combinations, always follow all label requirements for each product used in the tank mix. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed.

Revenue[®] Q is a trademark of AgraCity or its affiliates. All other products are trademarks of their respective holders.